

El Quevar 2019 Drill Program					
Collars					
Hole ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Type
QVD-389	3419221	7306618	4863	139.6	Diamond Drillhole
QVD-390	3419204	7306586	4868	82.6	Diamond Drillhole
QVD-391	3419176	7306743	4849	171.4	Diamond Drillhole
QVD-392	3419167	7306585	4870	76.9	Diamond Drillhole
QVD-393	3420330	7306861	5113	257.3	Diamond Drillhole
QVD-394	3419231	7306706	4856	180.6	Diamond Drillhole
QVD-395	3420311	7306583	4999	104.5	Diamond Drillhole
QVD-396	3420260	7306583	5007	150.4	Diamond Drillhole
QVD-397	3420359	7306565	5009	115.4	Diamond Drillhole
QVD-398	3417503	7306115	4645	216.2	Diamond Drillhole
QVD-399	3417832	7307285	4822	328.8	Diamond Drillhole
QVD-400	3417772	7307574	4952	506.0	Diamond Drillhole
QVD-401	3417545	7307044	4753	251.0	Diamond Drillhole
QVD-402	3416809	7306047	4568	59.0	Diamond Drillhole
QVD-403	3416858	7306083	4578	55.0	Diamond Drillhole
QVD-404	3416889	7306123	4586	79.0	Diamond Drillhole
QVD-405	3416798	7306070	4574	67.0	Diamond Drillhole
QVD-406	3416778	7306089	4578	111.0	Diamond Drillhole
QVD-407	3416780	7305990	4562	51.0	Diamond Drillhole

Projection: Posgar 94 Argentina Zone 3

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-389	7.40	8.70	1.30	0.5	0.006	0.305	0.016	0.002
QVD-389	8.70	10.10	1.40	1.2	0.006	0.663	0.006	0.003
QVD-389	10.10	11.50	1.40	1.8	0.007	0.823	0.004	0.005
QVD-389	11.50	12.25	0.75	1.1	0.006	0.809	0.002	0.002
QVD-389	12.25	13.00	0.75	0.8	0.005	0.690	0.002	0.002
QVD-389	13.00	14.00	1.00	1.0	0.005	0.205	0.001	0.001
QVD-389	14.00	15.00	1.00	1.4	0.005	0.131	0.001	0.001
QVD-389	15.00	16.00	1.00	0.8	0.005	0.088	0.001	0.001
QVD-389	16.00	17.00	1.00	0.6	0.005	0.087	0.001	0.001
QVD-389	17.00	18.00	1.00	0.8	0.005	0.106	0.002	0.002
QVD-389	18.00	19.00	1.00	0.5	0.005	0.045	0.001	0.001
QVD-389	19.00	20.00	1.00	0.5	0.005	0.062	0.002	0.001
QVD-389	20.00	21.00	1.00	0.5	0.005	0.046	0.003	0.002
QVD-389	21.00	22.20	1.20	0.5	0.005	0.206	0.006	0.003
QVD-389	22.20	23.00	0.80	0.5	0.005	0.024	0.002	0.002
QVD-389	23.00	24.20	1.20	0.5	0.005	0.003	0.003	0.001
QVD-389	24.20	24.60	0.40	0.5	0.005	0.003	0.004	0.002
QVD-389	24.60	25.00	0.40	0.5	0.005	0.002	0.003	0.001
QVD-389	25.00	26.00	1.00	0.5	0.005	0.002	0.003	0.001
QVD-389	26.00	27.00	1.00	0.5	0.005	0.002	0.012	0.002
QVD-389	27.00	28.00	1.00	0.5	0.005	0.005	0.040	0.002
QVD-389	110.00	111.00	1.00	0.5	0.005	0.001	0.008	0.002
QVD-389	111.00	112.00	1.00	0.5	0.005	0.001	0.008	0.002
QVD-389	112.00	113.00	1.00	0.5	0.005	0.001	0.009	0.002
QVD-389	113.00	114.20	1.20	0.5	0.005	0.001	0.008	0.002
QVD-389	114.20	115.40	1.20	0.5	0.005	0.001	0.005	0.002
QVD-389	115.40	116.60	1.20	0.5	0.013	0.001	0.007	0.002
QVD-389	116.60	117.00	0.40	0.5	0.009	0.001	0.008	0.002
QVD-389	117.00	118.10	1.10	0.5	0.005	0.001	0.008	0.002
QVD-389	118.10	119.10	1.00	0.5	0.005	0.001	0.006	0.002
QVD-389	119.10	120.30	1.20	0.5	0.005	0.002	0.005	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-389	120.30	121.00	0.70	0.5	0.005	0.001	0.008	0.002
QVD-389	121.00	122.00	1.00	0.5	0.005	0.001	0.008	0.002
QVD-389	122.00	123.20	1.20	0.5	0.005	0.001	0.009	0.002
QVD-389	123.20	124.40	1.20	0.5	0.005	0.002	0.008	0.002
QVD-389	124.40	125.60	1.20	0.5	0.005	0.001	0.013	0.002
QVD-389	125.60	126.50	0.90	0.5	0.005	0.001	0.008	0.002
QVD-389	126.50	127.00	0.50	0.5	0.005	0.001	0.011	0.002
QVD-389	127.00	128.00	1.00	0.5	0.005	0.001	0.009	0.002
QVD-389	128.00	129.00	1.00	0.5	0.005	0.002	0.013	0.002
QVD-389	129.00	130.00	1.00	0.5	0.005	0.018	0.086	0.002
QVD-389	130.00	131.00	1.00	0.5	0.005	0.003	0.011	0.001
QVD-389	131.00	132.00	1.00	0.5	0.005	0.002	0.011	0.001
QVD-389	132.00	133.00	1.00	0.5	0.005	0.003	0.013	0.001
QVD-389	133.00	134.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-389	134.00	135.00	1.00	0.5	0.005	-	0.006	0.001
QVD-389	135.00	136.00	1.00	0.5	0.005	0.001	0.009	0.001
QVD-389	136.00	137.20	1.20	0.5	0.005	0.001	0.008	0.002
QVD-389	137.20	138.40	1.20	0.5	0.005	0.001	0.008	0.002
QVD-389	138.40	139.60	1.20	0.5	0.005	0.001	0.009	0.001
QVD-390	13.60	14.40	0.80	9.2	0.009	0.300	0.004	0.003
QVD-390	14.40	15.30	0.90	24.8	0.045	0.264	0.002	0.002
QVD-390	15.30	19.60	4.30	24.9	0.068	0.189	0.002	0.001
QVD-390	19.60	20.60	1.00	1.5	0.005	0.029	0.001	0.005
QVD-390	20.60	21.40	0.80	1.0	0.005	0.042	0.002	0.003
QVD-390	21.40	22.60	1.20	0.5	0.005	0.005	0.009	0.015
QVD-390	22.60	24.00	1.40	0.5	0.005	0.017	0.008	0.014
QVD-390	24.00	25.60	1.60	0.5	0.022	0.052	0.005	0.003
QVD-390	25.60	26.05	0.45	0.5	0.005	0.009	0.007	0.005
QVD-390	26.05	26.32	0.27	0.5	0.005	0.033	0.010	0.029
QVD-390	26.32	27.87	1.55	0.5	0.063	0.112	0.002	0.002
QVD-390	27.87	29.00	1.13	0.5	0.188	0.097	0.001	0.003
QVD-390	29.00	31.60	2.60	0.5	0.013	0.022	0.004	0.004
QVD-390	31.60	32.40	0.80	0.5	0.005	0.002	0.015	0.008

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-390	32.40	33.50	1.10	0.5	0.005	0.003	0.011	0.003
QVD-390	33.50	33.90	0.40	0.5	0.005	0.001	0.006	0.010
QVD-391	87.40	88.40	1.00	8.3	0.005	0.081	0.225	0.005
QVD-391	88.40	89.10	0.70	19.3	0.005	0.343	0.679	0.003
QVD-391	89.10	90.00	0.90	35.6	0.005	0.092	0.005	0.009
QVD-391	90.00	91.00	1.00	64.3	0.009	0.103	0.004	0.019
QVD-391	91.00	92.00	1.00	83.0	0.006	0.067	0.011	0.089
QVD-391	92.00	93.00	1.00	249.0	0.008	0.059	0.016	0.464
QVD-391	93.00	94.00	1.00	242.0	0.007	0.081	0.022	0.318
QVD-391	94.00	95.00	1.00	15.4	0.005	0.109	0.004	0.031
QVD-391	95.00	96.00	1.00	22.4	0.005	0.055	0.003	0.042
QVD-391	96.00	97.10	1.10	63.2	0.005	0.038	0.003	0.345
QVD-391	97.10	98.30	1.20	32.3	0.005	0.037	0.002	0.238
QVD-391	98.30	99.50	1.20	39.9	0.007	0.040	0.001	0.023
QVD-391	99.50	100.50	1.00	26.0	0.005	0.025	0.002	0.088
QVD-391	100.50	101.50	1.00	91.1	0.008	0.038	0.001	0.101
QVD-391	101.50	102.50	1.00	107.0	0.026	0.021	0.001	0.050
QVD-391	102.50	103.50	1.00	133.0	0.058	0.042	0.002	0.077
QVD-391	103.50	104.50	1.00	25.9	0.016	0.038	0.001	0.018
QVD-391	104.50	105.60	1.10	8.5	0.010	0.067	0.002	0.029
QVD-391	105.60	106.80	1.20	24.3	0.005	0.026	0.002	0.087
QVD-391	106.80	108.00	1.20	14.4	0.006	0.102	0.001	0.065
QVD-391	108.00	109.00	1.00	8.9	0.005	0.076	0.001	0.053
QVD-391	109.00	110.00	1.00	3.8	0.005	0.095	0.001	0.027
QVD-391	110.00	111.00	1.00	11.9	0.005	0.099	0.001	0.066
QVD-391	111.00	112.00	1.00	11.0	0.010	0.080	0.001	0.038
QVD-391	112.00	113.00	1.00	6.4	0.006	0.084	0.001	0.029
QVD-391	113.00	114.00	1.00	96.2	0.019	0.086	0.005	0.402
QVD-391	114.00	115.00	1.00	5.0	0.005	0.041	-	0.010
QVD-391	115.00	116.00	1.00	35.5	0.007	0.019	0.001	0.024
QVD-391	116.00	117.00	1.00	3.3	0.005	0.064	-	0.014
QVD-391	117.00	118.00	1.00	39.2	0.028	0.098	0.003	0.055
QVD-391	118.00	119.00	1.00	14.6	0.009	0.011	0.003	0.048

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-391	119.00	120.00	1.00	26.0	0.010	0.006	0.002	0.144
QVD-391	120.00	121.00	1.00	10.2	0.005	0.006	0.001	0.093
QVD-391	121.00	122.00	1.00	12.7	0.005	0.008	0.001	0.049
QVD-391	122.00	123.00	1.00	12.6	0.015	0.025	0.001	0.010
QVD-391	123.00	124.00	1.00	3.3	0.005	0.145	0.001	0.003
QVD-391	124.00	125.00	1.00	3.9	0.005	0.179	0.001	0.003
QVD-391	125.00	126.00	1.00	4.9	0.005	0.226	0.002	0.003
QVD-391	126.00	127.00	1.00	6.4	0.005	0.208	0.001	0.005
QVD-391	127.00	128.00	1.00	9.0	0.005	0.074	0.002	0.010
QVD-391	128.00	129.00	1.00	6.8	0.005	0.027	0.001	0.003
QVD-391	129.00	130.00	1.00	8.4	0.005	0.021	0.002	0.004
QVD-391	130.00	131.00	1.00	7.0	0.005	0.023	0.002	0.010
QVD-391	131.00	132.00	1.00	5.9	0.005	0.025	0.002	0.006
QVD-391	132.00	133.00	1.00	20.6	0.005	0.116	0.010	0.127
QVD-391	133.00	134.00	1.00	18.9	0.007	0.125	0.008	0.028
QVD-391	134.00	135.20	1.20	13.7	0.014	0.095	0.003	0.013
QVD-391	135.20	136.40	1.20	30.2	0.011	0.073	0.004	0.014
QVD-391	136.40	137.60	1.20	35.8	0.010	0.060	0.003	0.012
QVD-391	137.60	138.80	1.20	87.3	0.028	0.093	0.014	0.065
QVD-391	138.80	140.00	1.20	17.7	0.022	0.066	0.007	0.014
QVD-391	140.00	141.00	1.00	94.1	0.016	0.037	0.009	0.033
QVD-391	141.00	142.00	1.00	217.0	0.041	0.074	0.086	0.502
QVD-391	142.00	143.00	1.00	218.0	0.050	0.069	0.108	0.812
QVD-391	143.00	144.00	1.00	97.3	0.013	0.109	0.025	0.082
QVD-391	144.00	145.00	1.00	12.4	0.005	0.111	0.007	0.007
QVD-391	145.00	146.20	1.20	10.8	0.005	0.097	0.011	0.008
QVD-391	146.20	147.40	1.20	246.0	0.029	0.152	0.060	0.275
QVD-391	147.40	148.30	0.90	465.0	0.082	0.174	0.167	0.758
QVD-391	148.30	149.50	1.20	86.6	0.034	0.750	1.495	0.072
QVD-391	149.50	150.70	1.20	9.3	0.005	0.968	2.490	0.003
QVD-391	150.70	151.90	1.20	4.5	0.005	0.402	1.555	0.004
QVD-391	151.90	153.40	1.50	3.2	0.005	0.542	1.845	0.002
QVD-391	153.40	154.00	0.60	3.1	0.005	0.272	0.932	0.004

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-391	154.00	155.00	1.00	3.8	0.005	0.279	0.936	0.002
QVD-391	155.00	156.00	1.00	7.4	0.005	0.148	0.456	0.002
QVD-391	156.00	157.00	1.00	3.2	0.005	0.122	0.364	0.002
QVD-391	157.00	158.00	1.00	3.7	0.005	0.183	0.512	0.003
QVD-391	158.00	159.00	1.00	4.4	0.005	0.470	2.110	0.003
QVD-391	159.00	160.00	1.00	4.7	0.005	0.466	1.680	0.003
QVD-391	160.00	161.00	1.00	4.3	0.005	0.346	1.430	0.003
QVD-391	161.00	162.00	1.00	3.4	0.005	0.318	0.964	0.002
QVD-391	162.00	164.00	2.00	6.7	0.005	0.497	1.375	0.003
QVD-391	164.00	165.00	1.00	2.2	0.005	0.048	0.150	0.002
QVD-391	165.00	166.00	1.00	0.7	0.005	0.010	0.043	0.002
QVD-391	166.00	167.00	1.00	0.5	0.005	0.002	0.022	0.002
QVD-391	167.00	168.00	1.00	0.5	0.005	0.003	0.022	0.002
QVD-391	168.00	169.00	1.00	7.2	0.005	0.010	0.043	0.032
QVD-391	169.00	170.20	1.20	0.5	0.005	0.004	0.018	0.002
QVD-391	170.20	171.40	1.20	0.5	0.005	0.004	0.020	0.002
QVD-392	14.00	15.00	1.00	24.3	0.005	0.386	0.006	0.002
QVD-392	15.00	16.00	1.00	5.8	0.005	0.220	0.015	0.002
QVD-392	16.00	16.90	0.90	1.0	0.005	0.119	0.010	0.001
QVD-392	19.50	20.00	0.50	68.2	0.108	0.845	0.006	0.008
QVD-392	20.00	21.00	1.00	85.5	0.113	1.685	0.014	0.019
QVD-392	21.00	21.80	0.80	249.0	0.163	7.500	0.031	0.277
QVD-392	21.80	23.00	1.20	29.1	0.088	0.965	0.017	0.014
QVD-392	23.00	23.50	0.50	5.1	0.053	0.490	0.003	0.015
QVD-392	23.50	24.50	1.00	5.2	0.024	0.398	0.007	0.005
QVD-392	24.50	25.30	0.80	6.0	0.005	0.391	0.010	0.018
QVD-392	25.30	26.30	1.00	0.7	0.005	0.184	0.009	0.006
QVD-392	26.30	27.60	1.30	0.5	0.005	0.053	0.008	0.006
QVD-392	27.60	28.90	1.30	0.5	0.005	0.059	0.006	0.006
QVD-392	28.90	30.00	1.10	0.5	0.005	0.016	0.006	0.006
QVD-392	30.00	31.00	1.00	0.5	0.005	0.004	0.010	0.007
QVD-392	31.00	32.00	1.00	0.5	0.005	0.003	0.012	0.007
QVD-392	32.00	33.00	1.00	0.5	0.005	0.007	0.011	0.006

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-392	33.00	34.00	1.00	0.5	0.005	0.003	0.009	0.005
QVD-392	34.00	35.00	1.00	0.5	0.005	0.001	0.009	0.004
QVD-392	35.00	36.00	1.00	0.5	0.005	0.002	0.008	0.008
QVD-392	36.00	37.00	1.00	0.5	0.005	0.002	0.006	0.004
QVD-392	37.00	37.80	0.80	0.5	0.005	0.002	0.008	0.006
QVD-392	37.80	39.00	1.20	0.5	0.005	0.002	0.011	0.024
QVD-392	39.00	40.00	1.00	0.5	0.005	0.002	0.018	0.011
QVD-392	40.00	41.00	1.00	0.5	0.005	0.002	0.025	0.001
QVD-393	2.80	4.00	1.20	0.5	0.005	0.002	0.001	0.001
QVD-393	4.00	5.00	1.00	0.5	0.005	0.002	-	0.001
QVD-393	5.00	7.00	2.00	0.5	0.005	0.002	0.001	0.001
QVD-393	7.00	8.00	1.00	0.5	0.005	0.002	0.001	0.001
QVD-393	8.00	9.20	1.20	0.5	0.005	0.002	0.008	0.001
QVD-393	9.20	10.30	1.10	0.5	0.005	0.002	0.009	0.001
QVD-393	10.30	11.00	0.70	0.5	0.005	0.002	0.014	0.001
QVD-393	11.00	12.00	1.00	0.5	0.005	0.002	0.015	0.001
QVD-393	12.00	13.00	1.00	0.5	0.005	0.002	0.015	0.001
QVD-393	13.00	14.00	1.00	0.5	0.005	0.002	0.018	0.001
QVD-393	14.00	15.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	15.00	16.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	16.00	17.00	1.00	0.5	0.005	0.002	0.017	0.001
QVD-393	17.00	18.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-393	18.00	19.00	1.00	0.5	0.005	0.002	0.005	0.001
QVD-393	19.00	20.00	1.00	0.5	0.005	0.002	0.005	0.001
QVD-393	20.00	21.00	1.00	0.5	0.005	0.002	0.003	0.001
QVD-393	21.00	22.00	1.00	0.5	0.005	0.002	0.006	0.001
QVD-393	22.00	23.00	1.00	0.5	0.005	0.002	0.003	0.002
QVD-393	23.00	24.00	1.00	0.5	0.005	0.002	0.003	0.001
QVD-393	24.00	25.00	1.00	0.5	0.005	0.002	0.004	0.001
QVD-393	25.00	26.00	1.00	0.5	0.005	0.002	0.006	0.002
QVD-393	26.00	27.00	1.00	0.5	0.005	0.002	0.003	0.002
QVD-393	27.00	28.00	1.00	0.5	0.005	0.003	0.003	0.002
QVD-393	28.00	29.00	1.00	0.5	0.006	0.003	0.003	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-393	29.00	30.00	1.00	0.5	0.005	0.002	0.002	0.002
QVD-393	30.00	31.00	1.00	0.5	0.005	0.003	0.003	0.002
QVD-393	31.00	32.00	1.00	0.5	0.005	0.002	0.002	0.002
QVD-393	32.00	33.00	1.00	0.5	0.005	0.002	0.002	0.002
QVD-393	33.00	34.00	1.00	0.5	0.005	0.002	0.002	0.002
QVD-393	34.00	35.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	35.00	36.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	36.00	37.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	37.00	38.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	38.00	39.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	39.00	40.00	1.00	0.5	0.005	0.002	0.002	0.003
QVD-393	40.00	41.00	1.00	0.5	0.005	0.002	0.001	0.002
QVD-393	41.00	42.00	1.00	0.5	0.005	0.002	0.001	0.004
QVD-393	75.00	76.00	1.00	0.5	0.005	0.002	0.016	0.001
QVD-393	76.00	77.00	1.00	0.5	0.008	0.002	0.011	0.001
QVD-393	77.00	78.00	1.00	0.5	0.005	0.002	0.013	0.002
QVD-393	78.00	79.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-393	79.00	80.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-393	80.00	81.00	1.00	0.5	0.005	0.002	0.014	0.002
QVD-393	81.00	82.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-393	82.00	83.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-393	83.00	84.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	84.00	85.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	85.00	86.00	1.00	0.5	0.005	0.002	0.010	0.002
QVD-393	86.00	87.00	1.00	0.5	0.005	0.002	0.011	0.001
QVD-393	87.00	88.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	98.00	99.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-393	99.00	100.00	1.00	0.5	0.005	0.002	0.006	0.001
QVD-393	100.00	101.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	101.00	101.80	0.80	0.5	0.005	0.002	0.008	0.001
QVD-393	101.80	102.60	0.80	0.5	0.005	0.002	0.008	0.001
QVD-393	102.60	103.60	1.00	0.5	0.005	0.002	0.007	0.001
QVD-393	103.60	104.60	1.00	0.5	0.005	0.002	0.008	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-393	104.60	105.60	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	105.60	106.80	1.20	0.5	0.005	0.002	0.007	0.001
QVD-393	106.80	108.00	1.20	0.5	0.005	0.002	0.011	0.001
QVD-393	108.00	109.00	1.00	0.5	0.005	0.002	0.016	0.001
QVD-393	109.00	110.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	110.00	111.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-393	111.00	112.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-393	141.00	142.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-393	142.00	143.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-393	143.00	144.00	1.00	0.5	0.005	0.002	0.018	0.001
QVD-393	144.00	145.00	1.00	0.5	0.005	0.002	0.022	0.001
QVD-393	145.00	146.00	1.00	0.5	0.005	0.002	0.021	0.002
QVD-393	146.00	147.00	1.00	0.5	0.005	0.002	0.020	0.002
QVD-393	147.00	148.10	1.10	0.5	0.005	0.002	0.018	0.001
QVD-393	148.10	149.00	0.90	0.5	0.005	0.001	0.017	0.002
QVD-393	149.00	150.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-393	150.00	151.00	1.00	0.5	0.005	0.002	0.010	0.002
QVD-393	151.00	152.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-393	176.00	177.00	1.00	0.5	0.005	0.002	0.018	0.002
QVD-393	177.00	178.00	1.00	0.5	0.005	0.002	0.017	0.001
QVD-393	178.00	179.00	1.00	0.5	0.005	0.002	0.018	0.001
QVD-393	179.00	180.00	1.00	0.5	0.005	0.002	0.016	0.002
QVD-393	180.00	181.00	1.00	0.5	0.005	0.002	0.015	0.001
QVD-393	181.00	182.00	1.00	0.5	0.005	0.002	0.014	0.002
QVD-393	182.00	183.00	1.00	0.5	0.005	0.002	0.014	0.002
QVD-393	183.00	184.00	1.00	0.5	0.005	0.002	0.012	0.002
QVD-393	184.00	185.00	1.00	0.5	0.005	0.002	0.013	0.002
QVD-393	185.00	186.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-393	186.00	187.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-393	187.00	188.00	1.00	0.5	0.005	0.002	0.009	0.002
QVD-393	188.00	189.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-393	189.00	190.00	1.00	0.5	0.005	0.002	0.013	0.002
QVD-393	190.00	191.00	1.00	0.5	0.005	0.002	0.012	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-393	191.00	192.00	1.00	0.5	0.005	0.003	0.021	0.002
QVD-393	192.00	193.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-393	193.00	194.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-393	194.00	195.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-393	195.00	196.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-393	196.00	197.00	1.00	0.5	0.005	0.002	0.009	0.002
QVD-393	197.00	198.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-393	198.00	199.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-393	199.00	200.00	1.00	0.5	0.005	0.002	0.010	0.002
QVD-393	200.00	201.00	1.00	0.5	0.005	0.002	0.010	0.002
QVD-393	201.00	202.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-393	202.00	203.00	1.00	0.5	0.005	0.002	0.010	0.002
QVD-393	203.00	204.00	1.00	0.5	0.005	0.002	0.009	0.002
QVD-393	204.00	205.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-394	3.00	7.80	4.80	0.5	0.022	0.002	0.004	0.002
QVD-394	7.80	8.70	0.90	0.5	0.005	0.002	0.006	0.002
QVD-394	8.70	10.30	1.60	0.5	0.005	0.001	0.005	0.001
QVD-394	10.30	11.90	1.60	0.5	0.005	0.001	0.006	0.001
QVD-394	11.90	13.50	1.60	0.5	0.005	0.002	0.012	0.002
QVD-394	13.50	15.00	1.50	0.5	0.008	0.001	0.009	0.001
QVD-394	15.00	16.50	1.50	0.5	0.005	0.001	0.008	0.001
QVD-394	16.50	18.00	1.50	0.5	0.005	0.002	0.008	0.001
QVD-394	18.00	19.10	1.10	0.5	0.005	0.002	0.008	0.002
QVD-394	19.10	19.87	0.77	0.5	0.005	0.001	0.014	0.002
QVD-394	19.87	21.00	1.13	0.5	0.005	0.002	0.013	0.002
QVD-394	21.00	22.60	1.60	0.5	0.005	0.002	0.007	0.002
QVD-394	22.60	24.00	1.40	0.5	0.005	0.002	0.008	0.002
QVD-394	24.00	25.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	25.00	26.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	26.00	27.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-394	27.00	28.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-394	28.00	29.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-394	29.00	30.00	1.00	0.5	0.005	0.002	0.008	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-394	30.00	31.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	31.00	32.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-394	32.00	33.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-394	33.00	34.00	1.00	0.5	0.005	0.001	0.006	0.002
QVD-394	34.00	35.00	1.00	0.5	0.005	0.001	0.008	0.001
QVD-394	35.00	36.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-394	36.00	37.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	37.00	38.00	1.00	0.5	0.005	0.001	0.008	0.001
QVD-394	38.00	39.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-394	39.00	40.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-394	40.00	41.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-394	41.00	42.00	1.00	0.5	0.005	0.002	0.009	0.002
QVD-394	42.00	43.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	43.00	44.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-394	44.00	45.00	1.00	0.5	0.005	0.001	0.007	0.002
QVD-394	45.00	46.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-394	46.00	47.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-394	47.00	48.00	1.00	0.5	0.005	0.002	0.036	0.001
QVD-394	48.00	49.00	1.00	0.5	0.005	0.004	0.087	0.001
QVD-394	49.00	50.00	1.00	0.5	0.005	0.002	0.025	0.001
QVD-394	50.00	51.00	1.00	0.5	0.005	0.001	0.008	0.001
QVD-394	51.00	52.00	1.00	0.5	0.005	0.001	0.007	0.001
QVD-394	52.00	53.00	1.00	0.5	0.005	0.001	0.006	0.001
QVD-394	53.00	54.00	1.00	0.5	0.005	0.001	0.007	0.001
QVD-394	54.00	55.00	1.00	0.5	0.005	0.001	0.007	0.001
QVD-394	55.00	56.00	1.00	0.5	0.005	0.002	0.006	0.001
QVD-394	56.00	57.00	1.00	0.5	0.005	0.002	0.009	0.001
QVD-394	57.00	58.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-394	58.00	59.00	1.00	0.5	0.005	0.002	0.007	0.001
QVD-394	59.00	60.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	82.00	83.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	83.00	84.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-394	84.00	85.00	1.00	0.5	0.005	0.002	0.013	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-394	85.00	86.00	1.00	0.5	0.005	0.008	0.022	0.001
QVD-394	86.00	87.00	1.00	0.5	0.005	0.053	0.130	0.001
QVD-394	87.00	88.00	1.00	0.5	0.005	0.118	0.440	0.001
QVD-394	88.00	89.00	1.00	0.5	0.005	0.111	0.343	0.001
QVD-394	89.00	90.00	1.00	1.7	0.005	0.226	0.521	0.001
QVD-394	90.00	91.00	1.00	19.9	0.005	0.528	0.745	0.006
QVD-394	91.00	92.00	1.00	9.4	0.006	0.140	0.012	0.003
QVD-394	92.00	93.00	1.00	24.2	0.005	0.062	0.006	0.009
QVD-394	93.00	94.00	1.00	56.6	0.005	0.092	0.006	0.064
QVD-394	94.00	95.00	1.00	12.4	0.005	0.058	0.004	0.002
QVD-394	95.00	96.00	1.00	11.5	0.005	0.049	0.005	0.002
QVD-394	96.00	97.00	1.00	5.1	0.005	0.039	0.006	0.002
QVD-394	97.00	98.00	1.00	5.7	0.005	0.122	0.061	0.002
QVD-394	98.00	99.00	1.00	6.7	0.006	0.400	0.403	0.002
QVD-394	99.00	100.00	1.00	0.9	0.005	0.130	0.292	0.001
QVD-394	100.00	101.00	1.00	0.5	0.005	0.030	0.100	0.001
QVD-394	101.00	102.00	1.00	0.5	0.005	0.009	0.042	0.001
QVD-394	102.00	103.00	1.00	0.5	0.005	0.010	0.058	0.001
QVD-394	103.00	104.00	1.00	0.5	0.005	0.002	0.023	0.001
QVD-394	104.00	105.00	1.00	0.5	0.005	0.002	0.035	0.001
QVD-394	105.00	106.00	1.00	0.5	0.005	0.002	0.028	0.001
QVD-394	123.00	124.20	1.20	21.3	0.005	0.271	0.930	0.003
QVD-394	124.20	125.40	1.20	37.0	0.005	0.649	2.440	0.006
QVD-394	125.40	126.60	1.20	46.9	0.007	0.592	1.850	0.007
QVD-394	126.60	127.60	1.00	44.7	0.005	1.010	2.830	0.013
QVD-394	127.60	128.60	1.00	37.1	0.005	1.665	0.882	0.010
QVD-394	128.60	129.60	1.00	10.3	0.005	0.647	0.485	0.003
QVD-394	129.60	130.80	1.20	0.6	0.005	0.047	0.091	0.001
QVD-394	130.80	132.00	1.20	14.2	0.005	0.226	0.391	0.013
QVD-394	132.00	133.00	1.00	58.1	0.009	0.113	0.034	0.056
QVD-394	133.00	134.10	1.10	15.1	0.005	0.110	0.091	0.008
QVD-394	134.10	135.00	0.90	0.5	0.005	0.003	0.019	0.002
QVD-394	135.00	136.00	1.00	0.5	0.005	0.009	0.041	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-394	136.00	137.00	1.00	1.9	0.005	0.204	0.581	0.001
QVD-394	137.00	138.00	1.00	1.5	0.005	0.177	0.421	0.001
QVD-394	138.00	139.20	1.20	0.5	0.005	0.022	0.069	0.001
QVD-394	139.20	140.40	1.20	0.5	0.005	0.020	0.061	0.001
QVD-394	140.40	141.60	1.20	0.5	0.005	0.003	0.014	0.001
QVD-394	141.60	142.80	1.20	1.3	0.005	0.074	0.148	0.001
QVD-394	142.80	144.00	1.20	10.1	0.460	0.139	0.116	0.008
QVD-394	144.00	145.00	1.00	16.6	0.156	0.192	0.477	0.007
QVD-394	145.00	146.00	1.00	61.5	0.372	0.068	0.051	0.313
QVD-394	146.00	147.00	1.00	47.7	0.536	0.036	0.042	0.111
QVD-394	147.00	148.10	1.10	194.0	0.922	0.040	0.175	1.701
QVD-394	148.10	149.30	1.20	35.4	0.382	0.036	0.035	0.167
QVD-394	149.30	150.50	1.20	39.7	0.639	0.041	0.011	0.046
QVD-394	150.50	152.10	1.60	84.5	1.275	0.076	0.010	0.041
QVD-394	152.10	153.20	1.10	13.0	1.795	0.210	0.069	0.006
QVD-394	153.20	154.20	1.00	17.1	0.741	0.227	0.209	0.008
QVD-394	154.20	155.40	1.20	128.0	0.745	0.260	0.158	0.066
QVD-394	155.40	156.60	1.20	17.0	2.010	0.157	0.027	0.005
QVD-394	156.60	157.60	1.00	131.0	1.265	0.384	0.367	0.029
QVD-394	157.60	158.60	1.00	74.1	0.009	1.360	0.453	0.010
QVD-394	158.60	159.60	1.00	13.7	0.006	0.758	1.375	0.003
QVD-394	159.60	160.80	1.20	7.8	0.010	0.492	1.450	0.002
QVD-394	160.80	162.00	1.20	5.8	0.005	0.362	1.125	0.001
QVD-394	162.00	163.00	1.00	6.0	0.005	0.304	0.853	0.002
QVD-394	163.00	164.20	1.20	6.5	0.008	0.297	0.844	0.002
QVD-394	164.20	165.40	1.20	6.8	0.005	0.351	0.921	0.002
QVD-394	165.40	166.60	1.20	5.0	0.005	0.367	1.310	0.001
QVD-394	166.60	167.80	1.20	1.9	0.005	0.106	0.275	0.001
QVD-394	167.80	169.00	1.20	1.2	0.005	0.031	0.101	0.002
QVD-394	169.00	170.00	1.00	3.1	0.005	0.110	0.374	0.002
QVD-394	170.00	171.00	1.00	1.9	0.005	0.069	0.212	0.001
QVD-394	171.00	172.20	1.20	2.6	0.005	0.072	0.212	0.002
QVD-394	172.20	173.40	1.20	4.0	0.005	0.149	0.335	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-394	173.40	174.60	1.20	5.4	0.005	0.188	0.625	0.002
QVD-394	174.60	175.80	1.20	2.9	0.005	0.089	0.268	0.001
QVD-394	175.80	177.00	1.20	1.7	0.005	0.046	0.151	0.001
QVD-394	177.00	178.20	1.20	1.0	0.005	0.031	0.098	0.001
QVD-394	178.20	179.40	1.20	0.7	0.005	0.013	0.046	0.002
QVD-394	179.40	180.60	1.20	0.5	0.005	0.010	0.032	0.002
QVD-395	12.50	13.67	1.17	0.5	0.005	0.002	0.004	0.001
QVD-395	13.67	14.64	0.97	0.5	0.005	0.002	0.003	0.001
QVD-395	14.64	15.80	1.16	0.5	0.005	0.001	0.002	0.001
QVD-395	15.80	16.90	1.10	0.5	0.005	0.002	0.005	0.001
QVD-395	16.90	18.00	1.10	0.5	0.005	0.002	0.010	0.001
QVD-395	18.00	19.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-395	19.00	20.00	1.00	0.5	0.005	0.002	0.008	0.001
QVD-395	20.00	21.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-395	21.00	22.00	1.00	0.5	0.005	0.002	0.013	0.001
QVD-395	22.00	23.00	1.00	0.5	0.005	0.002	0.011	0.001
QVD-395	23.00	25.00	2.00	0.5	0.005	0.002	0.012	0.001
QVD-395	25.00	26.50	1.50	0.5	0.005	0.003	0.015	0.001
QVD-395	26.50	28.00	1.50	0.5	0.005	0.002	0.018	0.001
QVD-395	28.00	29.00	1.00	0.5	0.005	0.002	0.014	0.001
QVD-395	29.00	30.00	1.00	0.5	0.005	0.002	0.012	0.001
QVD-395	30.00	31.00	1.00	0.5	0.005	0.002	0.013	0.001
QVD-395	31.00	32.00	1.00	0.5	0.005	0.002	0.011	0.001
QVD-395	32.00	33.00	1.00	0.5	0.005	0.003	0.009	0.001
QVD-395	33.00	34.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-395	34.00	35.00	1.00	0.5	0.005	0.002	0.011	0.001
QVD-395	35.00	36.00	1.00	0.5	0.005	0.002	0.010	0.001
QVD-395	36.00	37.00	1.00	0.5	0.005	0.002	0.014	0.001
QVD-395	37.00	38.00	1.00	0.5	0.005	0.003	0.020	0.001
QVD-395	38.00	39.00	1.00	0.5	0.005	0.002	0.013	0.001
QVD-395	39.00	40.00	1.00	0.5	0.005	0.002	0.014	0.001
QVD-395	40.00	41.00	1.00	0.5	0.005	0.002	0.015	0.001
QVD-395	41.00	42.00	1.00	0.5	0.005	0.002	0.019	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-395	42.00	43.00	1.00	0.5	0.005	0.003	0.019	0.001
QVD-395	43.00	44.00	1.00	0.5	0.005	0.003	0.020	0.001
QVD-395	44.00	45.00	1.00	0.5	0.005	0.003	0.025	0.001
QVD-395	45.00	46.00	1.00	0.5	0.005	0.002	0.024	0.001
QVD-395	46.00	47.00	1.00	0.5	0.005	0.003	0.028	0.001
QVD-395	47.00	48.00	1.00	0.5	0.005	0.002	0.045	0.001
QVD-395	48.00	49.00	1.00	0.5	0.005	0.002	0.022	0.001
QVD-395	49.00	50.00	1.00	0.5	0.005	0.002	0.022	0.001
QVD-395	50.00	51.00	1.00	0.5	0.005	0.002	0.023	0.001
QVD-395	51.00	52.00	1.00	0.5	0.005	0.002	0.029	0.001
QVD-395	52.00	53.00	1.00	0.5	0.005	0.002	0.036	0.001
QVD-395	53.00	54.00	1.00	0.5	0.005	0.003	0.035	0.011
QVD-395	54.00	55.00	1.00	0.9	0.005	0.028	0.025	0.009
QVD-395	55.00	56.00	1.00	1.0	0.005	0.046	0.103	0.009
QVD-395	56.00	57.00	1.00	1.1	0.005	0.172	0.159	0.029
QVD-395	57.00	58.00	1.00	19.1	0.005	0.512	0.015	0.013
QVD-395	58.00	59.00	1.00	33.1	0.005	0.162	0.009	0.004
QVD-395	59.00	60.00	1.00	10.0	0.005	0.126	0.005	0.004
QVD-395	60.00	61.00	1.00	32.6	0.005	0.126	0.003	0.007
QVD-395	61.00	62.00	1.00	13.6	0.005	0.127	0.003	0.003
QVD-395	62.00	63.00	1.00	5.0	0.005	0.109	0.002	0.004
QVD-395	63.00	64.00	1.00	3.3	0.005	0.063	0.001	0.004
QVD-395	64.00	65.00	1.00	8.1	0.005	0.051	0.001	0.003
QVD-395	65.00	66.00	1.00	1.8	0.005	0.041	0.002	0.004
QVD-395	66.00	67.00	1.00	6.6	0.005	0.098	0.002	0.004
QVD-395	67.00	68.00	1.00	4.5	0.005	0.130	0.002	0.006
QVD-395	68.00	69.00	1.00	3.2	0.005	0.058	0.001	0.006
QVD-395	69.00	70.00	1.00	2.2	0.005	0.074	0.003	0.003
QVD-395	70.00	71.00	1.00	2.6	0.005	0.047	0.002	0.003
QVD-395	71.00	72.00	1.00	2.7	0.005	0.037	0.002	0.004
QVD-395	72.00	73.00	1.00	3.4	0.005	0.040	0.001	0.003
QVD-395	73.00	74.00	1.00	6.1	0.005	0.067	0.002	0.004
QVD-395	74.00	75.20	1.20	20.3	0.005	0.120	0.006	0.005

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-395	75.20	76.50	1.30	4.0	0.005	0.220	0.120	0.004
QVD-395	76.50	77.80	1.30	0.5	0.005	0.032	0.162	0.002
QVD-395	77.80	79.00	1.20	0.5	0.005	0.011	0.061	0.001
QVD-395	79.00	80.30	1.30	0.5	0.005	0.002	0.009	0.002
QVD-395	80.30	81.50	1.20	0.5	0.005	0.002	0.023	0.002
QVD-395	98.75	99.50	0.75	0.5	0.005	0.002	0.009	0.002
QVD-396	67.00	68.00	1.00	0.5	0.005	0.043	0.256	0.002
QVD-396	68.00	69.00	1.00	0.5	0.005	0.127	0.409	0.002
QVD-396	69.00	70.00	1.00	47.2	0.005	0.430	0.029	0.005
QVD-396	70.00	71.00	1.00	55.5	0.005	0.144	0.010	0.005
QVD-396	71.00	72.00	1.00	150.0	0.005	0.283	0.008	0.014
QVD-396	72.00	73.00	1.00	565.0	0.005	0.498	0.040	0.134
QVD-396	73.00	74.00	1.00	27.1	0.005	0.087	0.005	0.010
QVD-396	74.00	75.00	1.00	2.5	0.005	0.068	0.003	0.003
QVD-396	75.00	76.00	1.00	4.5	0.005	0.085	0.004	0.002
QVD-396	76.00	77.00	1.00	4.8	0.005	0.075	0.003	0.005
QVD-396	77.00	78.00	1.00	279.0	0.005	0.308	0.018	0.151
QVD-396	78.00	79.00	1.00	26.4	0.005	0.076	0.002	0.020
QVD-396	79.00	80.90	1.90	341.0	0.005	0.605	0.043	0.361
QVD-396	80.90	82.40	1.50	10.5	0.005	0.123	0.004	0.019
QVD-396	82.40	83.00	0.60	22.0	0.005	0.078	0.002	0.006
QVD-396	83.00	84.00	1.00	6.9	0.005	0.045	0.002	0.005
QVD-396	84.00	85.00	1.00	7.6	0.005	0.046	0.001	0.004
QVD-396	85.00	86.00	1.00	8.2	0.005	0.119	0.003	0.005
QVD-396	86.00	87.00	1.00	3.4	0.005	0.120	0.004	0.005
QVD-396	87.00	88.00	1.00	10.4	0.005	0.092	0.002	0.004
QVD-396	88.00	89.00	1.00	7.4	0.005	0.059	0.001	0.004
QVD-396	89.00	90.00	1.00	1.2	0.005	0.063	0.002	0.003
QVD-396	90.00	91.00	1.00	1.6	0.005	0.038	0.001	0.002
QVD-396	91.00	92.00	1.00	5.2	0.005	0.073	0.003	0.005
QVD-396	92.00	93.00	1.00	8.4	0.005	0.138	0.009	0.004
QVD-396	93.00	94.00	1.00	1.8	0.005	0.953	0.195	0.050
QVD-396	94.00	95.00	1.00	0.5	0.005	0.017	0.072	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-396	95.00	96.00	1.00	0.5	0.005	0.019	0.116	0.002
QVD-396	96.00	97.00	1.00	0.5	0.005	0.013	0.065	0.002
QVD-396	97.00	98.00	1.00	0.5	0.005	0.004	0.024	0.002
QVD-396	98.00	99.00	1.00	0.5	0.005	0.001	0.008	0.001
QVD-396	99.00	100.00	1.00	0.5	0.005	0.001	0.007	0.002
QVD-396	100.00	101.00	1.00	0.5	0.005	0.009	0.028	0.002
QVD-396	101.00	102.00	1.00	0.5	0.005	0.027	0.187	0.002
QVD-396	102.00	103.00	1.00	0.5	0.005	0.003	0.020	0.002
QVD-396	103.00	104.00	1.00	0.5	0.005	0.001	0.005	0.002
QVD-396	104.00	105.00	1.00	0.5	0.005	0.001	0.002	0.002
QVD-396	105.00	106.00	1.00	0.5	0.005	0.002	0.003	0.002
QVD-396	106.00	107.00	1.00	0.5	0.005	0.019	0.072	0.004
QVD-396	107.00	108.00	1.00	0.5	0.005	0.002	0.011	0.002
QVD-396	108.00	109.00	1.00	0.5	0.005	0.001	0.002	0.002
QVD-396	109.00	110.00	1.00	0.5	0.005	0.001	0.002	0.002
QVD-396	110.00	111.00	1.00	0.5	0.005	0.002	0.027	0.002
QVD-396	111.00	112.00	1.00	0.5	0.005	0.001	0.008	0.002
QVD-396	112.00	113.00	1.00	0.5	0.005	0.001	0.009	0.002
QVD-396	113.00	114.00	1.00	0.5	0.005	0.002	0.003	0.002
QVD-396	114.00	115.00	1.00	0.5	0.005	0.001	0.013	0.002
QVD-396	115.00	116.00	1.00	0.5	0.005	0.001	0.003	0.002
QVD-396	116.00	117.00	1.00	0.5	0.005	0.001	0.004	0.002
QVD-396	117.00	118.00	1.00	0.5	0.005	0.001	0.005	0.002
QVD-396	118.00	119.00	1.00	0.5	0.005	0.002	0.006	0.002
QVD-396	119.00	120.00	1.00	0.5	0.005	0.001	0.023	0.002
QVD-396	120.00	121.00	1.00	0.5	0.005	0.001	0.006	0.002
QVD-396	121.00	122.00	1.00	0.5	0.005	0.001	0.005	0.002
QVD-396	122.00	123.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-396	123.00	124.00	1.00	0.5	0.005	0.002	0.007	0.002
QVD-396	124.00	125.00	1.00	0.5	0.005	0.002	0.008	0.002
QVD-396	125.00	126.00	1.00	0.5	0.005	0.001	0.007	0.002
QVD-396	126.00	127.00	1.00	0.5	0.005	0.001	0.006	0.002
QVD-397	55.00	56.00	1.00	0.5	0.005	0.001	0.015	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-397	56.00	57.00	1.00	0.5	0.005	0.002	0.012	0.002
QVD-397	57.00	58.40	1.40	0.5	0.005	0.004	0.017	0.002
QVD-397	58.40	59.26	0.86	0.5	0.005	0.217	1.060	0.004
QVD-397	59.26	60.00	0.74	0.5	0.005	0.012	0.004	0.001
QVD-397	60.00	61.00	1.00	0.5	0.005	0.023	0.005	0.001
QVD-397	61.00	62.00	1.00	0.5	0.005	0.025	0.007	0.001
QVD-397	62.00	63.00	1.00	0.5	0.005	0.087	0.004	0.001
QVD-397	63.00	64.00	1.00	0.5	0.005	0.059	0.004	0.001
QVD-397	64.00	65.00	1.00	0.5	0.005	0.066	0.004	0.001
QVD-397	65.00	66.00	1.00	0.5	0.005	0.071	0.003	0.002
QVD-397	66.00	67.00	1.00	0.5	0.005	0.116	0.005	0.001
QVD-397	67.00	68.00	1.00	0.5	0.005	0.072	0.005	0.002
QVD-397	68.00	69.00	1.00	0.5	0.005	0.112	0.007	0.002
QVD-397	69.00	70.00	1.00	0.5	0.005	0.070	0.006	0.001
QVD-397	70.00	71.00	1.00	0.5	0.005	0.021	0.003	0.001
QVD-397	71.00	72.00	1.00	0.5	0.005	0.017	0.004	0.001
QVD-397	72.00	73.00	1.00	0.5	0.005	0.012	0.004	0.002
QVD-397	73.00	74.00	1.00	0.5	0.005	0.007	0.004	0.002
QVD-397	74.00	75.00	1.00	0.5	0.005	0.005	0.003	0.001
QVD-397	75.00	76.40	1.40	0.5	0.005	0.004	0.004	0.001
QVD-397	76.40	77.00	0.60	0.5	0.005	0.004	0.003	0.002
QVD-397	77.00	78.00	1.00	0.5	0.005	0.004	0.002	0.003
QVD-397	78.00	79.00	1.00	0.5	0.005	0.005	0.001	0.002
QVD-397	79.00	80.00	1.00	0.5	0.005	0.005	0.002	0.002
QVD-397	80.00	81.00	1.00	0.5	0.005	0.006	0.001	0.002
QVD-397	81.00	82.00	1.00	0.5	0.005	0.013	0.001	0.002
QVD-397	82.00	83.00	1.00	0.5	0.005	0.020	0.039	0.003
QVD-397	83.00	84.00	1.00	0.5	0.005	0.012	0.013	0.002
QVD-397	84.00	85.00	1.00	0.5	0.005	0.013	0.008	0.001
QVD-397	85.00	86.00	1.00	0.5	0.005	0.009	0.002	0.002
QVD-397	86.00	87.00	1.00	0.5	0.005	0.010	0.003	0.002
QVD-397	87.00	88.00	1.00	0.5	0.005	0.009	0.003	0.002
QVD-397	88.00	89.00	1.00	0.5	0.005	0.010	0.002	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-397	89.00	90.00	1.00	0.5	0.005	0.013	0.012	0.003
QVD-397	90.00	91.00	1.00	0.5	0.005	0.007	0.002	0.002
QVD-397	91.00	92.38	1.38	0.5	0.005	0.010	0.004	0.002
QVD-397	92.38	93.00	0.62	0.5	0.005	0.027	0.072	0.002
QVD-397	93.00	94.00	1.00	0.5	0.005	0.016	0.074	0.002
QVD-397	94.00	95.00	1.00	0.5	0.005	0.007	0.040	0.001
QVD-397	95.00	96.00	1.00	0.5	0.005	0.004	0.034	0.002
QVD-397	96.00	97.00	1.00	0.5	0.005	0.006	0.028	0.001
QVD-397	97.00	98.00	1.00	0.5	0.005	0.004	0.031	0.001
QVD-398	127.00	128.00	1.00	0.5	0.005	0.042	0.119	0.001
QVD-398	128.00	129.00	1.00	0.5	0.005	0.056	0.009	-
QVD-398	129.00	130.00	1.00	0.5	0.005	0.042	0.007	-
QVD-398	130.00	131.00	1.00	0.5	0.005	0.063	0.009	-
QVD-398	131.00	132.00	1.00	0.5	0.005	0.098	0.007	0.001
QVD-398	132.00	133.00	1.00	0.5	0.005	0.102	0.009	0.001
QVD-398	133.00	134.00	1.00	0.5	0.005	0.126	0.010	0.001
QVD-398	134.00	135.00	1.00	0.5	0.005	0.230	0.011	0.001
QVD-398	135.00	136.00	1.00	0.5	0.005	0.220	0.012	0.001
QVD-398	136.00	137.00	1.00	0.5	0.005	0.086	0.012	0.001
QVD-398	137.00	138.00	1.00	0.5	0.005	0.105	0.010	0.001
QVD-398	138.00	139.00	1.00	0.5	0.005	0.057	0.007	0.001
QVD-398	139.00	140.00	1.00	0.5	0.005	0.086	0.008	0.001
QVD-398	140.00	141.00	1.00	0.5	0.005	0.041	0.009	0.001
QVD-398	141.00	142.00	1.00	0.5	0.005	0.053	0.008	-
QVD-398	142.00	143.00	1.00	0.5	0.005	0.065	0.010	-
QVD-398	143.00	144.00	1.00	0.5	0.005	0.087	0.020	0.001
QVD-398	144.00	145.00	1.00	0.5	0.005	0.055	0.006	-
QVD-398	145.00	145.60	0.60	0.5	0.005	0.052	0.018	0.001
QVD-398	153.00	154.00	1.00	0.5	0.005	0.030	0.011	0.001
QVD-398	154.00	155.00	1.00	0.5	0.005	0.039	0.024	0.001
QVD-398	155.00	156.00	1.00	0.5	0.005	0.053	0.021	0.001
QVD-398	156.00	157.00	1.00	0.5	0.005	0.050	0.012	0.001
QVD-398	157.00	158.00	1.00	0.5	0.005	0.046	0.014	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-398	158.00	159.00	1.00	0.5	0.005	0.058	0.057	0.001
QVD-398	159.00	160.00	1.00	0.5	0.005	0.070	0.016	-
QVD-398	160.00	161.00	1.00	0.5	0.005	0.054	0.013	0.001
QVD-398	161.00	162.00	1.00	0.5	0.005	0.050	0.015	0.001
QVD-398	182.00	183.00	1.00	0.5	0.005	0.036	0.114	0.001
QVD-398	183.00	184.00	1.00	0.5	0.005	0.046	0.205	0.001
QVD-398	184.00	185.00	1.00	0.5	0.005	0.077	0.810	0.001
QVD-398	185.00	186.00	1.00	0.5	0.005	0.098	0.038	0.001
QVD-398	186.00	187.00	1.00	0.5	0.005	0.076	0.042	0.001
QVD-398	187.00	188.00	1.00	0.5	0.005	0.063	0.018	0.001
QVD-398	188.00	189.00	1.00	0.5	0.005	0.083	0.012	0.001
QVD-398	189.00	190.00	1.00	0.5	0.005	0.094	0.015	0.001
QVD-399	235.00	236.00	1.00	2.7	0.005	0.155	0.025	0.002
QVD-399	236.00	237.00	1.00	3.5	0.005	0.107	0.012	0.002
QVD-399	237.00	238.00	1.00	1.9	0.005	0.125	0.025	0.002
QVD-399	238.00	239.00	1.00	2.4	0.005	0.133	0.015	0.002
QVD-399	239.00	239.80	0.80	1.7	0.005	0.179	0.013	0.002
QVD-399	239.80	241.00	1.20	1.5	0.005	0.200	0.016	0.001
QVD-399	241.00	242.00	1.00	0.7	0.005	0.116	0.013	0.001
QVD-399	242.00	243.00	1.00	2.3	0.005	0.210	0.195	0.002
QVD-399	243.00	244.00	1.00	1.7	0.005	0.199	0.025	0.001
QVD-399	244.00	245.00	1.00	1.0	0.005	0.183	0.010	0.001
QVD-399	245.00	246.00	1.00	1.1	0.005	0.208	0.016	0.001
QVD-399	246.00	247.00	1.00	2.2	0.005	0.213	0.093	0.001
QVD-399	247.00	248.00	1.00	15.8	0.005	0.614	0.079	0.002
QVD-399	248.00	249.00	1.00	33.7	0.005	1.285	0.055	0.003
QVD-399	249.00	250.00	1.00	4.5	0.005	0.153	0.077	0.001
QVD-399	250.00	251.00	1.00	1.6	0.005	0.268	0.109	0.001
QVD-399	251.00	252.00	1.00	6.0	0.005	0.459	0.145	0.003
QVD-399	252.00	253.00	1.00	3.3	0.005	0.233	0.083	0.001
QVD-399	253.00	255.20	2.20	0.8	0.005	0.346	0.299	0.001
QVD-399	255.20	257.00	1.80	0.6	0.005	0.390	0.518	0.001
QVD-399	257.00	259.50	2.50	0.7	0.005	0.110	0.100	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-399	259.50	261.00	1.50	3.4	0.005	0.307	0.091	0.001
QVD-399	261.00	262.00	1.00	2.2	0.005	0.378	0.021	0.001
QVD-399	262.00	263.00	1.00	1.8	0.005	0.404	0.016	0.001
QVD-399	263.00	264.00	1.00	2.0	0.005	0.406	0.037	0.001
QVD-399	264.00	265.00	1.00	3.4	0.005	0.404	0.037	0.001
QVD-399	265.00	266.00	1.00	2.2	0.005	0.371	0.072	0.001
QVD-399	266.00	267.00	1.00	2.8	0.005	0.448	0.361	0.001
QVD-399	267.00	268.50	1.50	1.3	0.005	0.302	0.163	0.002
QVD-399	268.50	270.00	1.50	0.5	0.005	0.454	0.813	0.001
QVD-399	270.00	271.50	1.50	0.5	0.005	0.436	0.440	0.002
QVD-399	271.50	273.00	1.50	0.5	0.005	0.150	0.528	0.001
QVD-399	273.00	274.00	1.00	0.9	0.005	0.302	0.545	0.002
QVD-399	274.00	275.00	1.00	0.7	0.005	0.265	0.611	0.002
QVD-399	275.00	276.00	1.00	0.5	0.005	0.163	0.208	0.002
QVD-399	276.00	277.00	1.00	0.5	0.005	0.268	0.101	0.001
QVD-399	277.00	278.00	1.00	0.5	0.005	0.244	0.128	0.001
QVD-399	278.00	279.00	1.00	0.5	0.005	0.194	0.078	0.001
QVD-399	279.00	279.84	0.84	0.5	0.005	0.261	0.042	0.001
QVD-399	279.84	281.00	1.16	0.5	0.005	0.456	0.035	0.001
QVD-399	281.00	282.00	1.00	0.5	0.006	0.273	0.011	0.001
QVD-399	282.00	283.00	1.00	0.5	0.005	0.283	0.014	0.001
QVD-399	283.00	284.00	1.00	0.5	0.005	0.323	0.335	0.002
QVD-399	284.00	285.00	1.00	0.5	0.005	0.162	0.590	0.001
QVD-399	285.00	286.00	1.00	0.5	0.005	0.141	0.354	0.001
QVD-399	286.00	287.00	1.00	0.5	0.005	0.154	0.394	0.001
QVD-399	287.00	288.00	1.00	0.5	0.005	0.118	0.613	0.001
QVD-399	288.00	289.00	1.00	0.5	0.005	0.086	0.499	0.001
QVD-399	289.00	290.00	1.00	0.5	0.005	0.167	0.340	0.001
QVD-399	290.00	291.00	1.00	0.5	0.005	0.167	0.607	0.002
QVD-399	291.00	292.00	1.00	0.5	0.005	0.218	0.276	0.001
QVD-399	292.00	293.00	1.00	0.5	0.005	0.182	0.125	0.002
QVD-399	293.00	294.00	1.00	0.5	0.005	0.233	0.217	0.002
QVD-399	294.00	295.00	1.00	0.5	0.005	0.406	0.158	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-399	295.00	296.00	1.00	0.5	0.005	0.189	0.038	0.001
QVD-399	296.00	297.00	1.00	0.5	0.005	0.281	0.067	0.001
QVD-399	297.00	298.00	1.00	0.5	0.005	0.155	0.146	0.001
QVD-399	298.00	299.00	1.00	0.5	0.005	0.148	0.108	0.002
QVD-399	299.00	300.00	1.00	0.5	0.005	0.220	0.206	0.002
QVD-399	300.00	301.00	1.00	0.5	0.005	0.105	0.207	0.001
QVD-399	301.00	302.00	1.00	0.5	0.005	0.076	0.402	0.002
QVD-399	302.00	303.00	1.00	0.5	0.005	0.036	0.327	0.001
QVD-399	303.00	304.00	1.00	0.5	0.005	0.067	0.346	0.001
QVD-399	304.00	305.00	1.00	0.5	0.005	0.014	0.213	0.001
QVD-400	141.40	142.60	1.20	0.5	0.005	0.091	0.009	0.001
QVD-400	142.60	143.80	1.20	0.5	0.005	0.021	0.005	0.001
QVD-400	143.80	145.00	1.20	0.5	0.005	0.029	0.006	0.001
QVD-400	145.00	146.20	1.20	0.5	0.005	0.089	0.004	0.001
QVD-400	146.20	147.40	1.20	0.5	0.005	0.132	0.005	0.002
QVD-400	147.40	148.60	1.20	0.5	0.005	0.309	0.002	0.002
QVD-400	148.60	149.80	1.20	0.5	0.005	0.282	0.003	0.002
QVD-400	149.80	151.00	1.20	0.5	0.005	0.586	0.001	0.001
QVD-400	151.00	152.20	1.20	0.5	0.005	0.243	0.001	0.002
QVD-400	152.20	153.40	1.20	0.5	0.005	0.363	0.002	0.002
QVD-400	153.40	154.60	1.20	0.5	0.005	0.309	0.001	0.002
QVD-400	154.60	155.80	1.20	0.5	0.005	0.466	0.001	0.005
QVD-400	155.80	157.00	1.20	0.5	0.005	0.230	0.001	0.005
QVD-400	157.00	158.20	1.20	0.5	0.005	0.218	0.001	0.003
QVD-400	158.20	159.40	1.20	0.5	0.005	0.269	-	0.002
QVD-400	159.40	160.60	1.20	0.5	0.005	0.317	-	0.002
QVD-400	160.60	161.80	1.20	0.5	0.005	0.305	0.001	0.004
QVD-400	161.80	163.00	1.20	0.9	0.005	0.281	-	0.004
QVD-400	163.00	164.20	1.20	1.0	0.005	0.361	-	0.003
QVD-400	164.20	165.40	1.20	1.4	0.005	0.167	0.001	0.002
QVD-400	165.40	166.60	1.20	0.5	0.005	0.200	-	0.002
QVD-400	166.60	167.80	1.20	0.5	0.005	0.475	-	0.001
QVD-400	167.80	169.00	1.20	0.5	0.005	0.367	-	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-400	169.00	170.20	1.20	0.5	0.005	0.490	-	0.001
QVD-400	170.20	171.40	1.20	0.5	0.005	0.892	-	0.001
QVD-400	171.40	172.60	1.20	0.5	0.005	0.683	-	0.001
QVD-400	172.60	173.80	1.20	0.5	0.005	0.402	-	0.001
QVD-400	173.80	175.00	1.20	0.6	0.005	0.359	-	0.002
QVD-400	175.00	176.20	1.20	0.5	0.005	0.253	-	0.001
QVD-400	176.20	177.40	1.20	0.5	0.005	0.244	-	0.001
QVD-400	177.40	178.60	1.20	0.5	0.005	0.282	-	0.001
QVD-400	178.60	179.80	1.20	0.5	0.005	0.242	0.001	0.002
QVD-400	179.80	181.00	1.20	0.6	0.005	0.007	0.001	0.002
QVD-400	181.00	182.20	1.20	0.5	0.005	0.003	0.001	0.001
QVD-400	182.20	183.40	1.20	0.5	0.005	0.002	0.001	0.002
QVD-400	183.40	184.60	1.20	0.5	0.005	0.003	-	0.001
QVD-400	184.60	185.80	1.20	0.5	0.005	0.006	-	0.001
QVD-400	185.80	187.00	1.20	0.5	0.005	0.002	0.001	0.001
QVD-400	187.00	188.20	1.20	0.5	0.005	0.003	0.001	0.001
QVD-400	188.20	189.40	1.20	0.5	0.005	0.007	0.002	0.002
QVD-400	189.40	190.60	1.20	0.8	0.005	0.003	0.011	0.002
QVD-400	190.60	191.80	1.20	0.7	0.005	0.003	0.023	0.002
QVD-400	191.80	193.00	1.20	0.5	0.005	0.002	0.013	0.001
QVD-400	193.00	194.20	1.20	0.5	0.005	0.023	0.008	0.001
QVD-400	194.20	195.40	1.20	0.5	0.005	0.016	0.002	0.001
QVD-400	195.40	196.60	1.20	1.2	0.005	0.003	0.008	0.001
QVD-400	196.60	197.80	1.20	0.5	0.005	0.002	0.022	0.001
QVD-400	197.80	199.00	1.20	1.4	0.005	0.002	0.005	0.001
QVD-400	199.00	199.80	0.80	1.9	0.005	0.002	0.003	0.004
QVD-400	224.00	225.00	1.00	0.5	0.005	0.002	0.040	0.001
QVD-400	225.00	226.00	1.00	0.5	0.005	0.003	0.018	0.001
QVD-400	226.00	227.00	1.00	0.5	0.005	0.003	0.003	0.002
QVD-400	227.00	228.00	1.00	0.5	0.005	0.002	0.002	0.001
QVD-400	228.00	229.00	1.00	0.5	0.005	0.002	0.001	0.003
QVD-400	229.00	230.00	1.00	0.5	0.005	0.004	0.025	0.002
QVD-400	319.00	320.00	1.00	0.5	0.005	0.409	0.008	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-400	320.00	321.00	1.00	1.3	0.005	0.291	0.005	0.002
QVD-400	321.00	322.00	1.00	1.2	0.005	0.257	0.006	0.001
QVD-400	322.00	323.00	1.00	2.1	0.005	0.448	0.004	0.002
QVD-400	323.00	324.00	1.00	1.6	0.005	0.567	0.006	0.002
QVD-400	324.00	325.00	1.00	1.3	0.005	0.347	0.004	0.001
QVD-400	325.00	326.00	1.00	2.8	0.005	0.279	0.004	0.002
QVD-400	326.00	327.00	1.00	1.4	0.005	0.264	0.001	0.001
QVD-400	327.00	328.00	1.00	0.9	0.005	0.215	0.001	0.001
QVD-400	328.00	329.00	1.00	1.0	0.005	0.240	0.002	0.001
QVD-400	329.00	330.00	1.00	2.0	0.005	0.351	0.002	0.001
QVD-400	330.00	331.00	1.00	9.4	0.005	0.461	0.003	0.002
QVD-400	331.00	332.00	1.00	1.9	0.005	0.159	0.002	0.001
QVD-400	332.00	333.00	1.00	2.6	0.005	0.150	0.007	0.001
QVD-400	333.00	334.00	1.00	5.0	0.005	0.381	0.015	0.002
QVD-400	334.00	335.00	1.00	1.1	0.005	0.250	0.004	0.001
QVD-400	335.00	336.00	1.00	1.1	0.005	0.159	0.008	0.001
QVD-400	336.00	337.00	1.00	0.5	0.005	0.102	0.004	0.001
QVD-400	337.00	338.00	1.00	2.0	0.005	0.363	0.093	0.001
QVD-400	338.00	339.00	1.00	0.8	0.005	0.158	0.020	0.001
QVD-400	339.00	340.00	1.00	6.9	0.005	1.825	0.858	0.002
QVD-400	340.00	341.00	1.00	1.7	0.005	0.705	0.246	0.001
QVD-400	341.00	342.24	1.24	3.0	0.005	1.160	0.519	0.002
QVD-400	342.24	343.00	0.76	0.5	0.005	0.358	1.935	0.003
QVD-400	343.00	344.00	1.00	0.5	0.005	0.274	1.190	0.002
QVD-400	344.00	345.00	1.00	0.5	0.005	0.154	0.954	0.002
QVD-400	359.40	360.50	1.10	0.5	0.005	0.410	0.342	0.001
QVD-400	360.50	361.50	1.00	0.5	0.005	0.195	0.498	0.002
QVD-400	361.50	362.50	1.00	0.5	0.005	0.195	0.105	0.001
QVD-400	397.00	398.25	1.25	0.5	0.005	0.089	0.780	0.002
QVD-400	459.00	460.50	1.50	0.5	0.005	0.033	0.210	0.002
QVD-400	460.50	462.00	1.50	0.5	0.005	0.049	0.247	0.002
QVD-400	462.00	463.50	1.50	0.5	0.005	0.074	0.282	0.002
QVD-400	463.50	465.00	1.50	0.5	0.005	0.111	0.387	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-400	465.00	466.50	1.50	0.5	0.005	0.190	0.598	0.002
QVD-400	466.50	467.50	1.00	0.5	0.005	0.097	0.324	0.002
QVD-400	467.50	469.00	1.50	0.5	0.005	0.048	0.206	0.002
QVD-400	469.00	470.50	1.50	0.5	0.005	0.034	0.208	0.002
QVD-400	470.50	471.50	1.00	0.5	0.005	0.012	0.323	0.001
QVD-400	489.40	490.00	0.60	0.5	0.005	0.013	0.026	0.001
QVD-400	490.00	491.00	1.00	0.5	0.005	0.010	0.102	0.001
QVD-400	491.00	492.00	1.00	0.5	0.005	0.006	0.040	0.003
QVD-400	492.00	493.00	1.00	3.0	0.005	0.005	0.057	0.002
QVD-400	493.00	494.00	1.00	0.5	0.005	0.008	0.100	0.001
QVD-400	494.00	495.00	1.00	0.5	0.005	0.002	0.030	0.001
QVD-400	495.00	496.00	1.00	2.1	0.005	0.005	0.024	0.001
QVD-400	496.00	497.00	1.00	0.5	0.005	0.004	0.008	0.001
QVD-400	497.00	498.00	1.00	0.5	0.005	0.004	0.019	0.001
QVD-400	498.00	499.00	1.00	0.5	0.005	0.003	0.007	-
QVD-400	499.00	500.00	1.00	0.5	0.005	0.002	0.005	-
QVD-400	500.00	501.00	1.00	0.5	0.005	0.002	0.007	-
QVD-400	501.00	502.00	1.00	0.5	0.005	0.003	0.010	-
QVD-400	502.00	503.00	1.00	0.5	0.005	0.003	0.006	-
QVD-400	503.00	504.00	1.00	0.5	0.005	0.003	0.006	0.001
QVD-400	504.00	505.00	1.00	0.5	0.005	0.003	0.006	-
QVD-400	505.00	506.00	1.00	0.5	0.005	0.003	0.004	-
QVD-401	151.10	152.00	0.90	0.5	0.005	0.054	0.095	0.001
QVD-401	152.00	153.00	1.00	0.5	0.005	0.100	0.081	-
QVD-401	153.00	154.00	1.00	0.5	0.005	0.176	0.109	-
QVD-401	154.00	155.00	1.00	0.5	0.005	0.134	0.087	-
QVD-401	155.00	156.00	1.00	0.5	0.005	0.122	0.099	-
QVD-401	156.00	157.00	1.00	0.5	0.005	0.157	0.092	-
QVD-401	157.00	158.00	1.00	0.5	0.005	0.104	0.044	0.001
QVD-401	158.00	159.00	1.00	0.5	0.005	0.100	0.046	-
QVD-401	159.00	160.00	1.00	0.5	0.005	0.053	0.074	-
QVD-401	160.00	161.00	1.00	0.5	0.005	0.048	0.065	-
QVD-401	161.00	162.00	1.00	0.5	0.005	0.041	0.041	-

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-401	162.00	163.00	1.00	0.5	0.005	0.039	0.031	-
QVD-401	163.00	164.00	1.00	0.5	0.005	0.023	0.039	-
QVD-401	164.00	165.00	1.00	0.5	0.005	0.051	0.060	-
QVD-401	165.00	166.00	1.00	0.5	0.005	0.051	0.050	-
QVD-401	166.00	167.00	1.00	0.5	0.005	0.036	0.095	-
QVD-401	167.00	168.00	1.00	0.5	0.005	0.024	0.069	-
QVD-401	168.00	169.00	1.00	0.5	0.005	0.024	0.076	-
QVD-401	169.00	170.00	1.00	0.5	0.005	0.027	0.046	-
QVD-401	170.00	171.00	1.00	0.5	0.005	0.033	0.033	-
QVD-401	171.00	172.00	1.00	0.5	0.005	0.026	0.025	-
QVD-401	172.00	173.00	1.00	0.5	0.005	0.027	0.021	-
QVD-401	173.00	174.00	1.00	0.5	0.005	0.033	0.044	-
QVD-401	174.00	175.10	1.10	0.5	0.005	0.074	0.046	-
QVD-401	175.10	176.45	1.35	0.5	0.005	0.027	0.099	-
QVD-401	176.45	177.28	0.83	0.5	0.005	0.057	0.067	-
QVD-401	177.28	178.35	1.07	0.5	0.005	0.101	0.098	-
QVD-401	178.35	179.00	0.65	0.5	0.005	0.036	0.224	-
QVD-401	179.00	180.00	1.00	0.5	0.005	0.017	0.271	-
QVD-401	180.00	181.00	1.00	0.5	0.005	0.012	0.301	-
QVD-401	181.00	182.00	1.00	0.5	0.005	0.010	0.286	-
QVD-401	182.00	183.00	1.00	0.5	0.005	0.005	0.253	-
QVD-401	183.00	184.00	1.00	0.5	0.005	0.006	0.245	-
QVD-401	184.00	185.00	1.00	0.5	0.005	0.005	0.269	-
QVD-401	185.00	186.00	1.00	0.5	0.005	0.013	0.225	-
QVD-401	186.00	187.00	1.00	0.5	0.005	0.016	0.281	-
QVD-401	187.00	188.00	1.00	0.5	0.005	0.006	0.168	-
QVD-401	188.00	189.00	1.00	0.5	0.005	0.022	0.235	-
QVD-401	189.00	190.00	1.00	0.5	0.005	0.021	0.213	-
QVD-401	190.00	191.00	1.00	0.5	0.005	0.034	0.099	-
QVD-401	191.00	192.00	1.00	0.5	0.005	0.018	0.053	-
QVD-401	192.00	193.00	1.00	0.5	0.005	0.007	0.074	-
QVD-401	193.00	194.00	1.00	0.5	0.005	0.038	0.083	-
QVD-401	194.00	195.00	1.00	0.5	0.005	0.044	0.034	-

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-401	195.00	196.00	1.00	0.5	0.005	0.125	0.012	-
QVD-401	196.00	197.00	1.00	0.5	0.005	0.053	0.007	-
QVD-401	197.00	198.00	1.00	0.5	0.005	0.084	0.010	-
QVD-401	198.00	199.00	1.00	0.5	0.005	0.072	0.008	-
QVD-401	199.00	200.00	1.00	0.5	0.005	0.060	0.008	-
QVD-401	200.00	201.00	1.00	0.5	0.005	0.064	0.038	0.001
QVD-401	201.00	202.00	1.00	0.5	0.005	0.080	0.096	-
QVD-401	202.00	203.00	1.00	0.5	0.005	0.037	0.301	0.001
QVD-401	203.00	204.00	1.00	0.5	0.005	0.024	0.290	0.001
QVD-401	204.00	205.00	1.00	0.5	0.005	0.007	0.283	0.001
QVD-401	205.00	206.00	1.00	0.5	0.005	0.012	0.315	0.001
QVD-401	206.00	207.00	1.00	0.5	0.005	0.007	0.170	-
QVD-401	207.00	208.00	1.00	0.5	0.005	0.007	0.170	-
QVD-401	208.00	209.00	1.00	0.5	0.005	0.006	0.165	-
QVD-401	209.00	210.00	1.00	0.5	0.005	0.062	0.164	-
QVD-401	210.00	211.00	1.00	0.5	0.005	0.062	0.123	0.001
QVD-401	211.00	212.34	1.34	0.5	0.005	0.022	0.155	0.001
QVD-401	212.34	213.00	0.66	0.5	0.005	0.016	0.104	0.001
QVD-401	213.00	214.00	1.00	0.5	0.005	0.027	0.047	0.001
QVD-401	214.00	215.00	1.00	0.5	0.005	0.029	0.147	0.001
QVD-401	215.00	216.00	1.00	0.5	0.005	0.030	0.126	-
QVD-401	216.00	217.00	1.00	0.5	0.005	0.063	0.191	0.001
QVD-401	217.00	218.00	1.00	0.5	0.005	0.030	0.149	0.001
QVD-401	218.00	219.00	1.00	0.5	0.005	0.023	0.164	-
QVD-401	219.00	220.00	1.00	0.5	0.005	0.013	0.100	0.001
QVD-401	220.00	221.00	1.00	0.5	0.005	0.032	0.139	-
QVD-401	221.00	222.00	1.00	0.5	0.005	0.033	0.119	0.001
QVD-401	222.00	223.00	1.00	0.5	0.005	0.023	0.144	-
QVD-401	223.00	224.00	1.00	0.5	0.005	0.031	0.091	-
QVD-402	14.00	20.00	6.00	7.2	0.005	0.254	0.003	0.001
QVD-402	20.00	24.00	4.00	306.0	0.005	0.174	0.002	0.019
QVD-402	24.00	25.00	1.00	61.0	0.005	0.157	0.001	0.012
QVD-402	25.00	26.00	1.00	658.0	0.005	0.087	0.001	0.009

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-402	26.00	29.00	3.00	76.2	0.005	0.281	0.001	0.023
QVD-402	29.00	34.00	5.00	143.0	0.005	0.160	0.002	0.007
QVD-402	34.00	38.00	4.00	1.2	0.005	0.003	0.016	0.002
QVD-402	38.00	41.00	3.00	0.5	0.005	0.002	0.010	0.001
QVD-402	41.00	44.00	3.00	0.6	0.005	0.002	0.019	0.001
QVD-402	44.00	46.50	2.50	0.6	0.005	0.003	0.007	0.001
QVD-403	6.00	10.75	4.75	5.1	0.005	0.476	0.002	0.001
QVD-403	10.75	11.75	1.00	513.0	0.005	0.049	-	0.004
QVD-403	11.75	14.50	2.75	295.0	0.005	0.161	0.001	0.005
QVD-403	14.50	17.50	3.00	169.0	0.005	0.618	0.005	0.008
QVD-403	17.50	19.00	1.50	40.1	0.005	0.045	0.013	0.003
QVD-403	19.00	23.50	4.50	0.5	0.005	0.002	0.023	0.002
QVD-404	10.00	11.50	1.50	0.5	0.005	0.001	0.006	0.002
QVD-404	11.50	13.00	1.50	0.5	0.005	0.002	0.014	0.002
QVD-404	13.00	15.70	2.70	0.5	0.005	0.003	0.063	0.001
QVD-404	15.70	19.00	3.30	0.5	0.005	0.055	0.115	0.001
QVD-404	19.00	22.00	3.00	0.5	0.005	0.032	0.139	0.001
QVD-404	22.00	23.50	1.50	0.7	0.005	0.067	0.018	0.005
QVD-404	23.50	26.50	3.00	13.7	0.005	0.169	0.012	0.003
QVD-404	26.50	28.00	1.50	0.5	0.005	0.005	0.016	0.002
QVD-404	28.00	29.50	1.50	0.5	0.005	0.003	0.024	0.001
QVD-404	29.50	31.00	1.50	0.5	0.005	0.002	0.016	0.001
QVD-404	31.00	33.00	2.00	0.5	0.005	0.002	0.011	0.001
QVD-404	33.00	35.00	2.00	0.5	0.005	0.002	0.018	0.002
QVD-404	35.00	37.80	2.80	0.5	0.005	0.001	0.020	0.002
QVD-404	37.80	40.40	2.60	0.5	0.005	0.001	0.041	0.001
QVD-404	40.40	41.70	1.30	0.5	0.005	0.002	0.032	0.001
QVD-404	41.70	43.00	1.30	0.5	0.005	0.002	0.014	0.001
QVD-405	10.00	11.50	1.50	0.5	0.005	0.002	0.002	0.001
QVD-405	11.50	13.00	1.50	0.5	0.005	0.002	0.004	0.001
QVD-405	13.00	14.50	1.50	0.5	0.005	0.002	0.005	0.001
QVD-405	14.50	16.00	1.50	0.5	0.005	0.002	0.003	0.001
QVD-405	16.00	19.00	3.00	0.5	0.005	0.008	0.007	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-405	19.00	20.50	1.50	0.5	0.005	0.002	0.005	0.001
QVD-405	20.50	22.00	1.50	0.5	0.005	0.009	0.004	0.001
QVD-405	22.00	23.50	1.50	0.5	0.005	0.017	0.007	0.001
QVD-405	23.50	25.00	1.50	0.5	0.005	0.026	0.006	0.001
QVD-405	25.00	26.00	1.00	0.5	0.005	0.095	0.015	0.002
QVD-405	26.00	27.00	1.00	0.5	0.005	0.152	0.018	0.001
QVD-405	27.00	28.00	1.00	0.6	0.005	0.406	0.038	0.004
QVD-405	28.00	29.00	1.00	0.5	0.005	0.374	0.116	0.002
QVD-405	29.00	30.00	1.00	0.5	0.005	0.550	0.056	0.002
QVD-405	30.00	31.50	1.50	0.5	0.005	0.218	0.024	0.002
QVD-405	31.50	32.50	1.00	0.5	0.005	0.078	0.009	0.001
QVD-405	32.50	33.50	1.00	0.5	0.005	0.097	0.013	0.001
QVD-405	33.50	34.00	0.50	1.0	0.005	0.119	0.014	0.001
QVD-405	34.00	35.00	1.00	0.5	0.005	0.154	0.037	0.008
QVD-405	35.00	36.00	1.00	0.5	0.005	0.243	0.751	0.012
QVD-405	36.00	37.00	1.00	1.0	0.005	0.521	0.016	0.007
QVD-405	37.00	38.00	1.00	6.0	0.005	0.900	0.006	0.005
QVD-405	38.00	40.00	2.00	5.0	0.005	1.555	0.005	0.017
QVD-405	40.00	41.50	1.50	84.9	0.005	0.189	0.004	0.002
QVD-405	41.50	42.15	0.65	4.7	0.005	0.237	0.004	0.002
QVD-405	42.15	46.00	3.85	74.6	0.005	0.801	0.012	0.011
QVD-405	46.00	49.00	3.00	626.0	0.005	3.100	0.017	0.027
QVD-405	49.00	50.20	1.20	199.0	0.005	0.358	0.048	0.005
QVD-405	50.20	51.50	1.30	0.8	0.005	0.004	0.011	0.002
QVD-405	51.50	52.50	1.00	1.3	0.005	0.004	0.024	0.002
QVD-405	52.50	54.00	1.50	0.5	0.005	0.002	0.033	0.002
QVD-405	54.00	56.00	2.00	0.5	0.005	0.002	0.012	0.002
QVD-405	56.00	57.50	1.50	0.5	0.005	0.002	0.007	0.001
QVD-405	57.50	59.50	2.00	0.5	0.005	0.003	0.017	0.001
QVD-406	36.00	37.00	1.00	1.0	0.005	0.057	0.107	0.002
QVD-406	37.00	38.00	1.00	0.5	0.005	0.106	0.199	0.003
QVD-406	38.00	39.00	1.00	0.6	0.005	0.020	0.091	0.001
QVD-406	39.00	40.00	1.00	0.5	0.005	0.004	0.009	0.002

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-406	40.00	41.00	1.00	0.5	0.005	0.004	0.009	0.002
QVD-406	41.00	42.00	1.00	0.5	0.005	0.003	0.008	0.002
QVD-406	42.00	43.00	1.00	0.5	0.005	0.003	0.009	0.002
QVD-406	43.00	44.00	1.00	0.5	0.005	0.003	0.010	0.002
QVD-406	44.00	45.00	1.00	0.5	0.005	0.004	0.009	0.001
QVD-406	45.00	46.00	1.00	0.5	0.005	0.071	0.025	0.001
QVD-406	46.00	47.00	1.00	0.5	0.005	0.072	0.061	0.001
QVD-406	47.00	48.00	1.00	0.5	0.005	0.125	0.158	0.002
QVD-406	48.00	49.00	1.00	0.5	0.005	0.140	0.147	0.001
QVD-406	49.00	50.00	1.00	0.5	0.005	0.034	0.143	0.002
QVD-406	50.00	51.00	1.00	0.5	0.005	0.017	0.163	0.001
QVD-406	51.00	52.00	1.00	0.5	0.005	0.003	0.207	0.002
QVD-406	52.00	53.00	1.00	0.5	0.005	0.003	0.176	0.002
QVD-406	53.00	54.00	1.00	0.5	0.005	0.014	0.174	0.002
QVD-406	54.00	55.00	1.00	0.6	0.005	0.002	0.043	0.001
QVD-406	55.00	56.00	1.00	0.5	0.005	0.136	0.061	0.003
QVD-406	56.00	57.00	1.00	0.5	0.005	0.263	0.016	0.003
QVD-406	57.00	59.00	2.00	0.5	0.005	0.052	0.044	0.003
QVD-406	59.00	61.00	2.00	0.5	0.005	0.006	0.025	0.001
QVD-406	61.00	63.00	2.00	0.5	0.005	0.003	0.013	0.001
QVD-406	63.00	65.00	2.00	0.7	0.005	0.003	0.018	0.001
QVD-406	65.00	67.00	2.00	0.5	0.005	0.005	0.041	0.001
QVD-407	9.00	12.00	3.00	90.2	0.005	0.334	0.008	0.005
QVD-407	12.00	14.00	2.00	4.4	0.005	0.109	0.021	0.001
QVD-407	14.00	14.65	0.65	14.2	0.005	0.339	0.014	0.002
QVD-407	14.65	16.50	1.85	605.0	0.005	2.720	0.007	0.008
QVD-407	16.50	17.50	1.00	5.5	0.005	0.223	0.010	0.001
QVD-407	17.50	19.00	1.50	0.5	0.005	0.005	0.029	0.002
QVD-407	19.00	20.00	1.00	0.5	0.005	0.005	0.035	0.002
QVD-407	20.00	21.00	1.00	0.7	0.005	0.003	0.058	0.001
QVD-407	21.00	22.00	1.00	0.5	0.005	0.002	0.052	0.001
QVD-407	22.00	23.00	1.00	0.5	0.005	0.003	0.039	0.001
QVD-407	23.00	27.00	4.00	0.5	0.005	0.004	0.014	0.001

El Quevar 2019 Drill Program								
Assays								
Hole ID	From (m)	To (m)	Width (m)	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)	Cu (%)
QVD-407	27.00	31.50	4.50	0.5	0.005	0.005	0.009	0.002
QVD-407	31.50	34.80	3.30	2.4	0.005	0.023	0.009	0.001

" - " for all grade values less than 5 ppm